

AIR DATA ACCESSORIES KIT
MODEL No. ADA235/295-946
NSN: 1730-01-HS2-1929
CASA 235 & 295 AIRCRAFT
For Standard & RVSM Testing



AIR DATA ACCESSORIES KIT
MODEL No. ADA235/295-946
NSN: 1730-01-HS2-1929
CASA 235 & 295 AIRCRAFT
For Standard & RVSM Testing

This kit contains all the equipment required to test from source the pitot & static air data system on the Casa 235 & 295 aircraft, as well as the means of pre-testing all adaptors and hoses prior to being fitted to the aircraft.

RVSM Testing

Nav-Aids Ltd. (**RVSM**) Air Data Accessories Kit contains all adaptors and hoses required to enable the connection of all static main and standby positions either individually or simultaneously as required.

For exact air data test procedure for this aircraft, please refer to the Aircraft Manufacturer's Maintenance Manual.

Pitot & Dual Static Test Adaptor

Part No. PSS88235-4C-4C-4C (3 req'd.)

These units fit the pitot probes 856NC located on the nose and when installed they will isolate and test each system separately or simultaneously.

Pre-Test Probe

Part No. PT18823 (3 req'd.)

When it becomes necessary to test the integrity of the pitot & dual static adaptors and/or hoses and test set, these units are used in place of the pitot & dual static probe.

Pitot Test Hose Assembly

Part No. 235/295-10-4P (3 req'd.)

These hoses connect to each pitot inlet of the adaptors from the designated control console outlets.

Pitot Input Hose Assembly

Part No. 235/295-8381 (1 req'd.)

This assembly is used to connect the pitot outlet of the pneumatic signal generator to the pitot inlet connection on the control console.

Static Test Hose Assembly

Part No. 235/295-10-4S (6 req'd.)

These assemblies attach to the static positions on the pitot & dual static adaptors as designated on the control console.

Static Input Hose Assembly

Part No. 235/295-4059 (1 req'd.)

This assembly is used to connect the Static outlet of the pneumatic signal generator to the static inlet connection on the control console.

Control Console

Part No. 421-235/295 (1 req'd.)

This unit contains all necessary inlets and outlets required to connect the pneumatic generator and the adaptors and hoses to the aircraft sensing system.

Note: Care should be taken to ensure that the control valves are open when required before beginning the tests to avoid surges.

All inlets etc. are identified on the photo etched panel.



AIR DATA ACCESSORIES KIT
MODEL No. ADA235/295-946
NSN: 1730-01-HS2-1929
CASA 235 & 295 AIRCRAFT
For Standard & RVSM Testing

Lubricating Fluid

Part No. LF5050 (1 req'd.)

This fluid is used to lubricate the glands of the pitot & dual static adaptors. It is recommended that a small amount be used before installing adaptor on pitot head. This will ensure smooth installation onto the pitot probe.

Seal Kit

Part No. SK235 (3 req'd.)

Three sets of spare seals are stowed in the case.

Manual

Part No. 444-235/295-946

One manual is supplied with each kit.

The equipment is enclosed in a case assembly - **Model No. 129XD-235/295-946.**